DOCUMENT RESUME

ED 130 852 SE 021 422

AUTHOR Torop, William
TITLE Measurement. [Individualized Learning System (ILS) Chemistry Pac No. 1.]
INSTITUTION West Chester State Coll., Pa.
PUB DATE 76
NOTE 19p.; For related Chemistry Pacs 2-8, see SE 021 423-429; Not available in hard copy due to marginal legibility of original document
AVAILABLE FROM I.G.A. Bookstore, West Chester State College, West Chester, Pennsylvania 19380 ($6.95/set, plus postage)

EDRS PRICE MF-$0.83 Plus Postage. HC Not Available from EDRS.
DESCRIPTORS Autoinstructional Aids; *Chemistry; *College Science; Computer Assisted Instruction; Higher Education; *Individualized Instruction; *Instructional Materials; *Measurement; Metric System; Science Education; Temperature; *Workbooks

ABSTRACT

This student booklet is one of a set of eight designed to be used in a self-paced introductory chemistry course in conjunction with specified textbooks and computer-assisted instruction (CAI) modules. Each topic is introduced with a textbook reading assignment and additional readings are provided in the booklet. Also included are self-tests (and answers), CAI module assignments, and suggested breakpoints for student-teacher consultations. Supplementary learning materials, including filmstrips, are also suggested. Each booklet contains specific cognitive objectives to be met by completion. This booklet covers four major topics in measurement: scientific notation, the metric system, temperature scales, and density. (MH)

****
* Documents acquired by ERIC include many informal unpublished *
* materials not available from other sources. ERIC makes every effort *
* to obtain the best copy available. Nevertheless, items of marginal *
* reproducibility are often encountered and this affects the quality *
* of the microfiche and hardcopy reproductions ERIC makes available *
* via the ERIC Document Reproduction Service (EDRS). EDRS is not *
* responsible for the quality of the original document. Reproductions *
* supplied by EDRS are the best that can be made from the original. *
****

ED130852

U S DEPARTMENT OF HEALTH, EDUCATION & WELFARE
NATIONAL INSTITUTE OF EDUCATION

THIS DOCUMENT HAS BEEN REPRODUCED EXACTLY AS RECEIVED FROM THE PERSON OR ORGANIZATION ORIGINATING IT. POINTS OF VIEW OR OPINIONS STATED DO NOT NECESSARILY REPRESENT OFFICIAL NATIONAL INSTITUTE OF EDUCATION POSITION OR POLICY

ILS CHEM PAC No. 1

MEASUREMENT

by

William Torop

West Chester State College
West Chester, Pennsylvania

© 1976

PERMISSION TO REPRODUCE THIS COPYRIGHTED MATERIAL HAS BEEN GRANTED BY

William Torop

TO ERIC AND ORGANIZATIONS OPERATING UNDER AGREEMENTS WITH THE NATIONAL INSTITUTE OF EDUCATION. FURTHER REPRODUCTION OUTSIDE THE ERIC SYSTEM REQUIRES PERMISSION OF THE COPYRIGHT OWNER.

BEST COPY AVAILABLE

Student No. & Name .....

Date Started .....

Date Completed .....

SE 021 422

METRIC AND ENGLISH SYSTEMS AND THEIR EQUIVALENTS

m = meter	mm^2 = square millimeter	ml = milliliter
cm = centimeter	cm^2 = square centimeter	g = gram
mm = millimeter	mm^3 = cubic millimeter	mg = milligram
km = kilometer	cm^3 = cubic centimeter	kg = kilogram
	cc = cubic centimeter	

METRIC SYSTEM	ENGLISH SYSTEM	EQUIVALENTS
Length		
10 mm = 1 cm	12 in = 1 ft	1 in = 2.54 cm
100 cm = 1 m	3 ft = 1 yd	1 ft = 30.48 cm
1,000 mm = 1 m	5,280 ft = 1 mi	1 m = 39.37 in
1,000 m = 1 km		1 km = 0.62 mi
Area		
$100\ mm^2 = 1\ cm^2$	$144\ in^2 = 1\ ft^2$	$1\ in^2 = 6.45\ cm^2$
		$1\ ft^2 = 929\ cm^2$
Volume		
$1{,}000\ mm^3 = 1\ cm^3$ (1 cc)	$1{,}728\ in^3 = 1\ ft^3$	1 liter = 1.06 qt
$1\ ml = 1\ cm^3$ (1 cc)	$231\ in^3 = 1$ gal	1 gallon = 3.78 liters
1 liter = 1,000 ml		
Mass		
1,000 mg = 1 g	16 oz = 1 lb	1 kg = 2.2 lb
1,000 g = 1 kg	2,000 lb = 1 ton	1 lb = 454 g

MEASUREMENT



OBJECTIVES

Upon completion of the ILS Chem Pac on Measurement the student should be able to

1. Scientific Notation

A. Given 10 numbers in standard notation, similar to those in reading 1.1a, convert 9 of them to scientific notation.

B. Given 10 numbers in scientific notation format, similar to those in reading 1.1b, convert 9 of them to standard notation.

C. Given 10 pairs of numbers in scientific notation form, multiply or divide 9 of them as indicated in reading 1.1c.

2. Metric System

A. State the fundamental units of length, area, capacity, and mass in the metric system as well as the names and values of the most commonly used multiples in the metric system.

B. Given a table of conversion factors, calculate the metric equivalents for 13 of 15 quantities expressed in the British system--or calculate the British equivalents for 13 of 15 metric quantities. Use metric system conversions in problem solving situations.

3. Temperature Scales

Given temperatures expressed in either degrees Celsius, Fahrenheit, or Absolute, calculate the equivalent temperature on the other two scales for 9 of 10 temperatures presented.

4. Density

Apply the formula for density to calculate one of the variables when supplied with the other two in 13 of 15 density problem situations.

Reading 1.1a - Read the footnote on page 18 in Medeiros and pages 561-563 in Holum.
Notes:

Reading 1.1b

In any chemistry course very large and very small numbers are expressed exponentially. Very large or very small numbers are expressed as 10 raised to some power. A power, or exponent, tells how many times a number is repeated as a factor. Thus:

10^2 (ten repeated as a factor 2 times) = 10 x 10 = 100

10^3 (ten repeated as a factor 3 times) = 10 x 10 x 10 = 1000

10^5 (ten repeated as a factor 5 times) = 10 x 10 x 10 x 10 x 10 = 100,000

By definition, any number raised to the zero power equals 1, so $10^0 = 1$. Also, by definition, a number with a negative exponent indicates the reciprocal of the same number with a positive exponent. Thus:

$$10^{-1} = \frac{1}{10^1} = \frac{1}{10} = 0.1 \quad \text{and} \quad 10^{-3} = \frac{1}{10^3} = \frac{1}{1000} = 0.001$$

Combining this in a table we have:

$10^6 = 1{,}000{,}000$	$10^{-1} = 0.1$
$10^5 = 100{,}000$	$10^{-2} = 0.01$
$10^4 = 10{,}000$	$10^{-3} = 0.001$
$10^3 = 1{,}000$	$10^{-4} = 0.0001$
$10^2 = 100$	$10^{-5} = 0.00001$
$10^1 = 10$	$10^{-6} = 0.000001$
$10^0 = 1$	

Numbers which are not integral (whole number) powers of 10 may be written as a product of two numbers, one of which is a power of 10. The other number is always written with just one figure to the left of the decimal point. Thus:

$5400 = 5.4 \times 1000 = 5.4 \times 10^3$

$627 = 6.27 \times 100 = 6.27 \times 10^2$

$0.037 = 3.7 \times 0.01 = 3.7 \times 10^{-2}$

$0.00059 = 5.9 \times 0.0001 = 5.9 \times 10^{-4}$

$1{,}637{,}000 = 1.637 \times 1{,}000{,}000 = 1.637 \times 10^6$

$0.000\ 000\ 783 = 7.83 \times 0.000\ 000\ 1 = 7.83 \times 10^{-7}$

Reading 1.1c

When powers of 10 are multiplied, the exponents are added. Thus:

$10^1 \times 10^3 = 10^{1+3} = 10^4$ since $10^1 \times 10^3 = 10 \times 1000 = 10{,}000 = 10^4$

If each power itself is multiplied by some number, then in multiplication, these numbers are multiplied separately and the powers of 10 are added as before. Thus:

$(4 \times 10^2) \times (2 \times 10^3) = (4 \times 2) \times (10^2 \times 10^3) = 8 \times 10^5$

$3.0 \times 10^4 \times 2.3 \times 10^{-1} = (3.0 \times 2.3) \times (10^4 \times 10^{-1}) = 6.9 \times 10^3$

$4.2 \times 10^5 \times 6.0 \times 10^7 = (4.2 \times 6.0) \times (10^5 \times 10^7) = 25.2 \times 10^{12}$
$= 2.5 \times 10^{13}$

During division, the powers of 10 are subtracted. Thus:

10^4 divided by $10^2 = 10^{4-2}$ since $\frac{10^4}{10^2} = \frac{10{,}000}{100} = 100 = 10^2$

If each power is itself multiplied by some number, then in division these numbers are divided separately and the powers of 10 are subtracted as before. Thus:

$$\frac{4.00 \times 10^7}{3.00 \times 10^3} = \frac{4.00}{3.00} \times 10^{7-3} = \frac{4.00}{3.00} \times 10^4 = 1.33 \times 10^4$$

$$\frac{9.0 \times 10^4}{2.0 \times 10^{-6}} = \frac{9.0}{2.0} \times 10^{4-(-6)} = \frac{9.0}{2.0} \times 10^{10} = 4.5 \times 10^{10}$$

Self-test 1.2a

Express the following as a number multiplied by 10 raised to some power. (3 significant figures)

1. 5,946
2. 0.00971
3. 13,700,000
4. 0.00000732
5. 91.75
6. 0.0139
7. 0.000 000 5172
8. 0.1502
9. 98.75
10. 595,700,000

Self-test 1.2b

Change the following scientific notation numbers to the standard notation.

11. 2×10^{-5}
12. 5.1×10^{7}
13. 5.9×10^{-1}
14. 1×10^{-5}
15. 2.75×10^{-1}
16. 1.8×10^{6}
17. 1.2×10^{3}
18. 8.71×10^{2}
19. 1.44×10^{4}
20. 7.17×10^{12}

Self-test 1.2c

Perform the indicated operations.

21. $4 \times 10^{3} \times 2 \times 10^{5}$
22. $(3.0 \times 10^{2})^{3}$
23. $6.2 \times 10^{-4} \div 3 \times 10^{5}$
24. $8.2 \times 10^{-4} \div 6.1 \times 10^{-5}$
25. $4.1 \times 10^{5} \times 3.2 \times 10^{-1}$
26. $8 \times 10^{6} \times 1 \times 10^{2}$
27. $4.5 \times 10^{-3} \div 2.1 \times 10^{2}$
28. $1.0 \times 10^{7} \div 1.5 \times 10^{-2}$
29. $2 \times 10^{5} \times 1 \times 10^{3}$
30. $7.5 \times 10^{-6} \div 3.5 \times 10^{-4}$

If you missed more than one problem in either Self-test 1.2a or 1.2b, take the NO route (CAI 1.3). If you missed more than one problem in Self-test 1.2c, go directly to CAI 1.4.

CAI 1.3 - SCINO1 - Scientific Notation

This computer module gives practice in converting from standard notation to scientific notation and vice versa. Initially 8 problems are given, 4 of each type of conversion. To go on to the next module, 5 or more problems must be solved correctly. Otherwise 8 additional problems are presented for solution.

Whenever you respond to the computer in scientific notation, you must use the "E" format where E is used to represent "times ten to the power"

Example: 2.5×10^{-4} is entered as 2.5E-4

2.541×10^{3} is entered as 2.541E3

Date Completed:

CAI 1.4 - SCINO2 - Scientific Notation

Drill and practice in multiplying and dividing in scientific notation. Initially 8 problems are given, 4 of each type. To go on to the next module, more than half of the problems must be solved correctly. Otherwise 8 additional problems are presented for solution.

You must observe the same convention with respect to the "E" format as you did in SCINO1 -- which is the prerequisite for this module.

Date Completed:

Self-test ◇ 1.5

CAI 1.3 will also count as the Self-test for objectives 1A and 1B. Five or more of the 8 problems presented must be solved correctly.

CAI 1.4 will also count as the Self-test for objective 1C. Four or more of the 8 problems presented must be solved correctly.

Conference (1.5)

If you are still having difficulty with scientific notation at this point, please see your instructor.

Date:

Notes:

Reading 2.1 - Read pages 10-12 in Medeiros, pages 5-7 in Sackheim & Schultz, and pages 5 & 6 in Holum.
Notes:

The fundamental unit of length in the metric system is the ..... (1); the fundamental unit of area is the ..... (2); the fundamental unit of capacity is the ..... (3); and the unit of mass is the ..... (4).

The main advantage of the metric system is that it is a decimal system in which the units are all multiples of ten--larger or smaller than some other unit. A meter can be divided into ten parts, each of which is called a ..... (5). The prefix ..... (6) indicates one-tenth. Each tenth part of a meter can, in turn, be divided into ten parts, each of which is called ..... (7). This is one-hundredth of a meter. The prefix ..... (8) indicates one-hundredth. Each of these parts can, in turn, ba divided into ten parts, each of which is called a ..... (9). This is one-thousandth of a meter. The prefix ..... (10) indicates one-thousandth. Ten meters is equal to a ..... (11). The prefix ..... (12) indicates ten. One thousand meters is equal to a ..... (13). The prefix ..... (14) indicates one thousand. These prefixes retain the same meaning when used with other units such as grams or liters.

Because each of these prefixes does refer to a multiple of ten, you can easily convert from grams to kilograms or milligrams by simply moving the decimal point. 687 grams = ... (15) kilograms = ... (16) milligrams.

Likewise, 1500 milliliters = ... (17) centiliters = ... (18) deciliters = ... (19) kiloliters = ... (20) liters.

2378 meters = ... (21) kilometers = ... (22) decimeters = ... (23) centimeters = ... (24) millimeters.

The answers to Reading 2.1 are:

1. meter	9. millimeter	17. 150
2. square meter	10. milli	18. 15
3. liter	11. decameter	19. 0.0015
4. kilogram	12. deca	20. 1.5
5. decimeter	13. kilometer	21. 2.378
6. deci	14. kilo	22. 23,780
7. centimeter	15. 0.687	23. 237,800
8. centi	16. 687,000	24. 2,378,000

Self-test 2.2

There are 39.37 inches in a meter. Therefore, 1 inch = ... (1) cm. There are 2.2 pounds in a kilogram. Therefore, 1 pound = ... (2) gram. There are 1.06 quarts in 1000 milliliters. Therefore, 1 quart = ... (3) liter.

To convert 25.0 pounds to grams, we must multiply by ..... (4) g/lb because there are many more g than lb. The answer is ..... (5) g.

To convert 5.00 yards to meters, we first change yards to feet and then to inches. Since there are more cm than in, we multiply by ..... (6) cm/in. But the problem asked for m, so we convert cm to m by dividing by 100 since there are 100 cm to a m. The answer is ..... (7) m.

To convert 200 gallons to liters, we first change gallons to quarts and multiply by ..... (8) l/g. The answer is ..... (9) l.

To convert 6.81 kg to lb, we first change kg to g and then divide by ..... (10) g/lb. The answer is ..... (11) lb.

To convert 15 dm to ft we first change dm to cm and then divide by ..... (12) cm/in. The answer in feet is ..... (13).

To convert 1500 ml to quarts, we first change ml to liters and multiply by ..... (14) qt/l. The answer is ..... (15).

If you missed more than two problems in Self-test 2.2 do the following problems on pages 9 & 10 of Sackheim & Schultz: 7, 8, 9, 10, 11 and 12; and/or take the NO route (CAI 2.3).

CAI 2.3 - MET1 - The Metric System

Use of the metric system. This is the introductory module on metric unit conversions and consists of a set of 9 problems consisting of 9 different kinds of metric conversions. To procede a minimum of 6 problems must be solved correctly. Otherwise another set of 9 problems are presented. Simple diagnostics for common errors are also presented.

The numerical answer to a problem must be given to $\pm$ 2 in the third significant figure (slide rule accuracy).

Date Completed:

CAI 2.4 - MET2 - The Metric System

Use of the metric system conversions in problem solving situations. This module consists of 6 different kinds of problems. Four or more correct problems are required to procede. Otherwise 6 additional problems are presented for solution.

The same conventions of MET1 apply to this module. In addition, the following information will be helpful.

1. area = length x width
2. volume of a sphere = $4/3 \pi r^3$ (where $\pi = 22/7$ and r=radius)
3. volume of a rectangle = length x width x height
4. volume of a cylinder = length x π x r^2
5. one Angstron (A) = 10^{-8} cm

Date Completed:

Self-test 2.5

This Self-test is CAI module PREFT. It is a proficiency test consisting of 10 different (randomly selected) problems on metric conversions, 8 of which should be solved correctly.

Conference 2.6

If you are still having difficulty with the metric system at this point, please see your instructor.

Date:

Notes:

Reading 3.1 - Read pages 11 & 109 in Medeiros, pages 3-4 in Sackheim & Schultz, and pages 9-11 in Holum.
Notes:

If you place a Fahrenheit thermometer in ice water, what is the temperature going to be? ..... (1) °F What would you expect it to be in boiling water? ..... (2) °F What is the range in degrees? ..... (3).

Now if you were using a Celsius thermometer, what would you expect the temperature to be in ice water? ..... (4) °C In boiling water? ..... (5) °C What is this range in degrees? ..... (6) What part of a Fahrenheit degree is a Celsius degree? ..... (7) Hint: divide the Frahrenheit range by the Celsius range.

What is the difference between the freezing points on the Fahrenheit and Celsius scales? .....(8) Using all this information, can you now determine a formula to convert Celsius to Fahrenheit? °F = ... (9) Either rearrange this equation or use the same information to convert Fahrenheit to Celsius. °C = ... (10)

Absolute temperature is expressed in degrees Kelvin. The zero point or absolute zero is minus 273.16 degrees Celsius. Therefore, degrees Kelvin (°K) equals degrees Celsius plus 273 (approximately). For example, 20 °C = ... °K? The answer is 293 °K. Likewise, 100 °C = 373 °K and -40 °C = 233 °K.

The answers to Reading 3.1 are:

1. 32
2. 212
3. 180
4. 0
5. 100
6. 100
7. 9/5
8. 32
9. 9/5 C + 32
10. 5/9 (F - 32)

Self-test 3.2

Use the formulas from Reading 3.1 to calculate the equivalent temperatures as indicated.

1. 30°C = °F
2. 77°F = °C
3. -20°C = °F
4. -13°F = °C
5. 20°C = °K
6. -20°C = °K
7. 50°F = °C
8. 180°C = °F
9. 140°F = °C
10. 200°C = °K

If you missed more than one problem in Self-test 3.2, do problems 1 through 4 on page 9 of Sackheim & Schultz; and/or take the NO route (CAI 3.3).

CAI 3.3 - TEMCO - Temperature Conversions

Drill on Fahrenheit, Celsius and Absolute temperature interconversions. Although only the numerical value obtained is entered, tutorial assistance is available for incorrect answers. All problem types and values are randomly generated.

This computer program checks only your numerical answer input. Thus it is necessary that you do not include units in your answer.

Date Completed:

Self-test 3.4

CAI 3.3 will also count as the Self-test for objective 3. Eight or more of any 10 problems presented in serial order should be solved correctly.

Conference 3.5

If you are still having difficulty with temperature scales at this point, please see your instructor.

Date:

Notes:

Reading 4.1 - Read pages 8 & 9 in Sackheim & Schultz, and pages 11-14 in Holum.
Notes:

Density is defined as weight per unit volume. Symbolically, it may be expressed as ..... (1) where D is the density, W is the weight, and V the volume. Solving for weight, W = ... (2). Solving for volume, V = ... (3). Density must have units of weight and volume such as g/ml.

The formulas for Reading 4.1 are:

1. D = W / V
2. W = D x V
3. V = W / D

Self-test 4.2

An object has a weight of 100 g and a volume of 50 ml. To calculate the density of this object, we use the formula ..... (1). The answer is ..... (2) and is obtained by dividing ..... (3) by ..... (4).

The density of a certain object is 4.00 g/ml and it weighs 1.00 kg. What is its volume? The formula to use is ..... (5) However, the density is in g/ml and the weight in kg so we change ..... (6) to ..... (7) by multiplying by 1000. The answer to the problem, ... (8) is obtained then by dividing ..... (9) by ..... (10).

A steel ball has a density of 7.2 g/ml and a volume of 5.0 liter. What does it weigh? First, since the density is g/ml, the volume must also be in ml. 5.0 liter = ... (11) ml. The weight is obtained by multiplying ..... (12) by ..... (13) to get the answer ..... (14) g or ..... (15) kg.

If you missed more than two answers in Self-test 4.2, do problems 13 & 14 on page 10 of Sackheim & Schultz; and/or take the NO route (CAI 4.3).

CAI 4.3 - DECAL - Density Calculations

Drill on solving density related problems. Any two values from the density formula are randomly generated and you solve for the third value. Only the numerical answer is input and tutorial assistance is provided for incorrect responses.

Again the answer input from you must be only a numerical expression and include no units.

Date Completed:

Self-test 4.4

CAI 4.3 will also count as the Self-test for objective 4. Eight or more of any 10 problems presented in serial order should be solved correctly.

Conference 4.5

If you are still having difficulty with density at this point, please see your instructor.

Date:

Notes:

EXAM

ILS Pac 1 Exam will consist of 10 questions.

Objective 1 - Scientific Notation - 2 questions

Objective 2 - Metric System - 4 questions

Objective 3 - Temperature Scales - 2 questions

Objective 4 - Density - 2 questions

See ILS Pac 0 (Student Directions) for Grading System Equivalents. Please remember that although the Exam is necessary for a grade it may not be sufficient. You may also be asked to have a final conference with your instructor.

CONFERENCE

Date:

Notes:

SUPPLEMENTARY MATERIAL

Objective 1 - Scientific Notation

Filmstrip-Tape #801: Converting Numbers to Exponential Notation

Objective 2 - Metric System

Filmstrip-Tape #823: Metric System Conversions

ANSWERS

Self-test 1.2a

1. 5.95×10^{3}
2. 9.71×10^{-3}
3. 1.37×10^{7}
4. 7.32×10^{-6}
5. 9.18×10^{1}
6. 1.39×10^{-2}
7. 5.17×10^{-7}
8. 1.50×10^{-1}
9. 9.88×10^{1}
10. 5.96×10^{8}

Self-test 1.2b

11. 0.00002
12. 51,000,000
13. 0.59
14. 0.00001
15. 0.275
16. 1,800,000
17. 1,200
18. 871
19. 14,400
20. 7,170,000,000,000

Self-test 1.2c

21. 8×10^{8}
22. 2.7×10^{7}
23. 2×10^{-9}
24. 1.3×10^{1}
25. 1.3×10^{5}
26. 8×10^{8}
27. 2.1×10^{-5}
28. 6.7×10^{8}
29. 2×10^{8}
30. 2.1×10^{-2}

Self-test 2.2

1. 2.54
2. 454
3. 0.946
4. 454
5. 11,350
6. 2.54
7. 4.57
8. 0.946
9. 756
10. 454
11. 15
12. 2.54
13. 4.9
14. 1.06
15. 1.59

Self-test 3.2

1. 86 °F
2. 25 °C
3. -4 °F
4. -25 °C
5. 293 °K
6. 253 °K
7. 10 °C
8. 356 °F
9. 60 °C
10. 473 °K

Self-test 4.2

1. D = W / V
2. 2.0 g/ml
3. 100 g
4. 50 ml
5. V = W / D
6. kg
7. g
8. 250 ml
9. 1000 g
10. 4.00 g/ml
11. 5000
12. 7.2 g/ml
13. 5000 ml
14. 36,000
15. 36

Scientific (Exponential) Notation

30,000,000,000 cm/sec = 3×10^{10} cm/sec

0.000059 cm = 5.9×10^{-5} cm

264,000 g = 2.64×10^{5} g

1,000 ml = 1×10^{3} ml

Significant Figures

1205 has four significant figures

12050 has five significant figures

0.1205 has four significant figures

0.0125 has three significant figures

0.10125 has five significant figures

0.01205 has four significant figures

DENSITY

$$D = \frac{M}{V}$$

Temperature Formulas

°F = 9/5°C + 32

°C = 5/9(°F - 32)

°K = °C + 273

Comparison of Temperature Scales